

Altered Level of Consciousness

For on site tutorials as part of the remote simulation program Professional Entry Module: UG3

This project was possible due to funding made available by Health Workforce Australia









This project was possible due to funding made available by







© Health Workforce Australia

Session Objectives

Clinical practice

- Assess the patient using DRS ABCDEFG
- Implement initial interventions and investigations
- Seek advice

Teamwork

Handover using the ISBAR tool







dentify

Situation

Background

Assessment

Recommendation



You are called to see Miley Cyrus who is a 48 year women admitted with acute ascites. She has had 5.5 litres drained in the preceding 24 hours and 200mls of 20% albumin administered. Her relative has caught your attention as they have asked you for some help. They say Miley has just had a fit.

DRS ABCDE (DEFG)







Let's go see Miley



© Health Workforce Australia





The unconscious patient





© Health Workforce Australia

- TRAUMA
- INFECTION
- HAEMORRHAGE

DIRECT

CAUSES

- SPACE OCCUPYING LESIONS
- SEIZURES
- DRUGS

March 14



RESPIRATORY

CIRCULATORY

METABOLIC

ENDOCRINE

•

•

•

INDIRECT

Interventions & Investigations

Simple

- 12 Lead ECG
- Bloods: FBC, EUC, LFT, gasses
 Coags, culture, drug screen
- Urinalysis, Urine toxicology screen
- Chest X-Ray

Advanced

- CT Brain
- EEG







Seizures



- Protect the airway
- Position the patient
- Supplemental O²
- Attach monitoring
- Start an IV
- Check the glucose
- Stop the seizure
- Seek advice



Alcohol withdrawal

- Assess risk in all patients
- Delirium Tremens
 - DRS ABCDE (DEFG)
 - Restraint security/pharma
- Supportive care
- Diazepam
- Thiamine +/- glucose






Stroke

- Protect the airway
- Position the patient
- Supplemental O²
- Attach monitoring
- Start an IV
- Check the glucose
- Manage the BP
- Treat seizures
- Seek advice





Meningitis



- Protect yourself -PPE
- Blood cultures
- Lumbar puncture if NO signs of raised intracranial pressure
- Commence antibiotics
 - Cefotaxime/ceftriaxone+ benylpenicillin
 - ?acyclovir?
- Treat seizures
- Maintain euglycaemia
- Supportive care
- Public health implications?



Summary

- Structured approach to the patient with an altered LOC
 - DRS ABCDE (DEFG)
 - Multidisciplinary team based approach
- Many potential causes
 - Pathologies directly/indirectly affecting the brain
- Communication
 - Patient
 - Team

March 14

Senior help!



References

- Department of Health and Ageing. Guidelines for the early clinical and public health management of meningococcal disease in Australia, P3 -4786. Barton: Commonwealth of Australia; Oct 2007.
- National Stroke Foundation. Clinical guidelines for stroke management 2010. Melbourne Australia; 2010.
- National Institute for Health and Clinical Excellence. The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care, CG 137. Manchester UK; Jan 2012.
- Hanna J, Nichol A. Status epilepticus: an intensive care medicine problem. Anaesth Intensive Care 2012; 13: 148-151.
- Ministry of Health NSW. Infants and children acute management of bacterial meningitis, PD2012_065. North Sydney Australia; Dec 2012.
- Ministry of Health NSW. Drug and alcohol withdrawal clinical practice guidelines - NSW, GL2008_011. North Sydney Australia; Jul 2008.



Acknowledgments

Topic expert author: Morgan Sherwood

Educational consultants:

- Stephanie O'Regan Nurse Educator SCSSC Leonie Watterson Director Simulation Division SCSSC
- John Vassiliadis Deputy Director SCSSC
- Morgan Sherwood Simulation Fellow SCSSC

Disclaimer

Care has been taken to confirm the accuracy of the information presented and to describe generally accepted practices. However the authors, editor and publisher are not responsible for errors or omissions or for any consequences from the application of the information in this presentation and make no warranty, express or implied, with respect to the contents of the presentation.

Copyright and Permission to Reproduce

This work is copyright. It may be reproduced for study or training purposes subject to the inclusion of an acknowledgement of the source: Health Workforce Australia EdWISE program. It may not be reproduced for commercial usage or sale.

